



Health Magnetic Store & More

Your Magnetic and Natural Products for Health Store
1053 Jesús T. Piñero Ave, San Juan PR 00920 • Tels. 1.800.761.5767
Fax (787)749.5767

www.healthmagneticstore.com.com • email: info@healthmagneticstore.com

ATTENTION DEFICIT DISORDER (ADD)

3 SEPARATE DISORDERS. If the child doesn't pay attention, talks too much, he or she's irritated and possibly hyperactive, they are diagnosed with Attention Deficit Disorder.

The use of magnets along herbal supplements are natural options for taking care of these disorders.

1. ADD WITHOUT HYPERACTIVITY
2. ADD WITH HYPERACTIVITY (ADHD) or aggressive
3. ADD - RESIDUAL TYPE (continuation beyond age 18)

DISORDER #2 - ADD WITH HYPERACTIVITY (ADHD)

- MOST COMMON FORM
- 3% OF ALL SCHOOL AGE CHILDREN
- BOYS 10 TO 1 OVER GIRLS

CHARACTERISTICS OF ADD

- | | |
|---------------------------------|---------------------------------|
| 1. HYPERACTIVE | 11. ACTS BEFORE THINKING |
| 2. PERCEIVED MOTOR IMPAIRMENT | 12. ABRUPT ACTIVITY SHIFTS |
| 3. EMOTIONAL INSTABILITY | 13. POOR ORGANIZATION |
| 4. GENERAL COORDINATION DEFICIT | 14. JUMPS UP IN CLASS |
| 5. SHORT ATTENTION SPAN | 15. MEMORY & THINKING DISORDERS |
| 6. DISTRACTIBILITY | 16. SPECIFIC LEARNING DISORDERS |
| 7. LACK OF PERSEVERANCE | 17. SPEECH & HEARING DISORDERS |
| 8. FAILURE TO FINISH THINGS | 18. NEUROLOGICAL SIGNS |
| 9. NOT LISTENING | 19. EEG IRREGULARITIES |
| 10. POOR CONCENTRATION | 20. AGGRESSIVENESS |

Most health providers agree that the cause is from many factors such as food addiction (lots of sugar), toxins in vaccines- such as mercury and other metals, an unstable home or even the simple need of a Chiropractic adjustment or eyeglasses prescription.

USE of MAGNETS:

While studying he/she will use the **Sierra's Memory Band** for a minimum of 30 minutes 1 to 2 times daily depending on the mental activity. It's a magnetic headband with negative polarity magnets on the forehead, placed over the eyebrows. For creating relaxation, the magnetic band can be used at night or before bedtime for 30 to 60 minutes.

Health Magnetic Store & More www.healthmagneticstore.com 1.800.761.5767 or 1.787.782.5767

1053 Jesús T. Piñero Ave. San Juan PR 00920

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to prevent, treat, cure, mitigate, or diagnose any disease.

We also suggest the use of a negative-tipped magnetic stimulator, **Tsubo**, to relax the tense muscles of the cervical area and shoulders and balance the body's energies. In the forehead area there are two bony eminences that can be sensitive to the touch when mental fatigue exists. Apply the Tsubo ball over this area for 20 seconds or so each side. It can also be applied onto reflexology points of the palm of the hands and sole of the feet, 1-3 minutes if they can withstand it, which indicates a need.

The most practical thing for a child who is hyperactive is to sleep on the **Mat Pad All North**, a magnetic pad with negative polarity magnets towards their body, that same pad could be used in a chair, either sitting on it or reclining their back on it.

Eight (8) years or older can start wearing: negative polarity magnetic insoles and magnetic negative polarity bracelets.

The north pole, negative polarity (-), has a soothing type energy, reduces, calms the nerve impulses of the brain and oxygenates the blood, among other benefit

USE of HERBS:

It is recommended to begin the following Protocol 1 to 2 months before starting school/ classes:

CALM-ATTEN: Supports Calm Mood, Supports Focus.

2 capsules 3 times daily for 6-8 weeks reducing dosage to 2 capsules twice daily. 3 bottles needed for 1 month.

Ages 4 to 9 use half dosage. 1 capsule 3 times daily for 6-8 weeks reducing dosage to capsules twice daily. 2 bottles needed for 1 month.

PYCNOGENOL: Antioxidant.

1 capsule twice daily. 1 bottle needed for 1 month.

Ages 4 to 9 use half dosage. 1 capsule daily. 1 bottle needed for 2 months.

Add **FORMULA 303** if child is HYPERACTIVE

4-6 years old start with half of 1 tablet every 3 to 4 hours and before bedtime. Then as needed.

6-9 years old start with 1 tablet every 3-4 hours and before bedtime. Then as needed.

10-16 years old, start with minor dose of 1 tablet every 3-4 hours increasing to 2 tablets every 4 hours or as needed. If experiencing sleepiness reduce the dose to one or divide in longer intervals. 1 bottle needed.

17 years and above can substitute for **RELAX-S** and follow indications written in the bottle

BRAIN PLUS: Supports the body's ability to think clearly, quickly and be alert.

12-17 years old: 2 capsules in the morning, once a day, for 2-3 weeks reducing the dose to 1 capsule daily in the morning, Monday to Friday and if you study Saturday and Sunday. Always take in the morning. Then, 1 to 2 capsules, 3 times weekly or as needed. 1 bottle for 1 month.

Adult, 18+ years old, take first bottle 2 capsules in the morning, once a day. Then 1 to 2 capsules daily as needed.

Health Magnetic Store & More www.healthmagneticstore.com 1.800.761.5767 or 1.787.782.5767

1053 Jesús T. Piñero Ave. San Juan PR 00920

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to prevent, treat, cure, mitigate, or diagnose any disease.



Health Magnetic Store & More

Su tienda de productos magnéticos y naturales para la salud
Ave. Jesús T. Piñero #1053, San Juan PR 00920 • Tels. (787)782.5767
Fax (787)749.5767

www.energiamagnetica.com • email:info@healthmagneticstore.com

DESORDÉN de DEFICIT de ATENCIÓN

3 DESORDENES POR SEPARADO. Si el chico(a) no preste atención, hable demasiado, este irritado y posiblemente hiperactivo, puede ser diagnosticado con el Desorden de Déficit de Atención. El uso de magnetos junto a suplementos herbales son una opción para el cuidado de estos desordenes.

1. ADD SIN HIPERACTIVIDAD
2. ADD CON HYPERACTIVIDAD (ADHD) o Agresividad
3. ADD - TIPO RESIDUAL (continuación más allá de los 18 años)

DESORDEN #2 - AGREGAR CON HYPERACTIVIDAD (ADHD)

- FORMA MÁS COMÚN
- 3% DE TODOS LOS NIÑOS EN EDAD ESCOLAR
- NIÑOS 10 A 1 SOBRE LAS NIÑAS

CARACTERISTICAS DE ADD

- | | |
|------------------------------------|---|
| 1. HIPERACTIVO | 12. CAMBIOS ABRUPTOS DE ACTIVIDADES |
| 2. IMPEDIENDO MOTOR PERCIBIDO | 13. MALA ORGANIZACIÓN |
| 3. INESTABILIDAD EMOCIONAL | 14. BRINCA MUCHO DURANTE CLASE |
| 4. DÉFICIT DE COORDINACIÓN GENERAL | 15. DESORDES DE MEMORIA Y PENSAMIENTO |
| 5. CORTO PERÍODO DE ATENCIÓN | 16. DESORDENES ESPECIFICOS DE APRENDIZAJE |
| 6. DISTRAIBILIDAD | 17. DESORDENES DE HABLA Y AUDICION |
| 7. FALTA DE PERSEVERANCIA | 18. SIGNOS NEUROLÓGICOS |
| 8. NO TERMINAN LAS COSAS | 19. IRREGULARIDAD EN EEG |
| 9. NO ESCUCHAN | 20. AGRESIVO |
| 10. POBRE CONCENTRACION | |
| 11. ACTÚA ANTES DE PENSAR | |

La mayoría de los proveedores de salud concordamos que la causa son muchos factores como adicción a alimentos (mucho azúcar), toxinas en vacunas- como el mercurio y otros metales, un hogar inestable, o hasta la simple necesidad de un ajuste Quiropráctico o usar espejuelos.

USO MAGNÉTICO

Mientras estudia utilizará el **Sierra's Memory Band** por un mínimo de 30 minutos, 1 a 2 veces al día dependiendo de actividad mental. Es una banda de cabeza con los imanes de polaridad negativa en la frente, y se acomoda sobre las cejas. Para mayor relajación, la banda magnética se puede utilizar de noche o antes de irse a dormir por 30 a 60 minutos.

Health Magnetic Store & More www.healthmagneticstore.com 1.800.761.5767 or 1.787.782.5767

1053 Jesús T. Piñero Ave. San Juan PR 00920

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to prevent, treat, cure, mitigate, or diagnose any disease.

También recomendamos utilizar un estimulador magnético de punta negativa, **Tsubo**, para relajar los músculos tensos del área cervical y hombros y balancear las energías del cuerpo. En el área frontal hay 2 eminencias que suelen ser sensitivos al toque cuando existe fatiga mental. Sobre esa área puede pasar la bolita del Tsubo por unos 20 segundos cada lado. Otro uso es para aplicarse en los puntos de reflexología, en la palma de las manos y la planta de los pies, de 1-3 minutos si pueden soportarlo, lo cual indica su necesidad.

Lo más práctico para un niño que es hiperactivo es dormir sobre el **Mat Pad All North**, un pad magnético con imanes de polaridad negativa hacia su cuerpo, ese mismo pad podría utilizarse en una silla, ya sea en la sentadera o espalda siempre y cuando su cuerpo no se inclina hacia delante.

Con la edad de ocho (8) años o más puede utilizar: plantillas magnéticas de polaridad negativa y pulsera magnética de polaridad negativa.

El polo norte, **polaridad negativa (-)**, tiene una energía tipo calmante, reduce, calma los impulsos nerviosos del cerebro y oxigena la sangre, entre otros beneficios.

USO DE HIERBAS

Se recomienda comenzar el siguiente Protocolo 1 a 2 meses antes de comenzar las clases:

CALM-ATTEN: Apoya un estado tranquilo de ánimo y de enfoque.

2 cápsulas 3 veces al día para 6-8 semanas reduciendo la dosis a 2 cápsulas dos veces al día. Se necesitan 3 botellas durante 1 mes.

Edades 4 a 9 utilizar media dosis. 1 cápsula 3 veces al día durante 6-8 semanas reduciendo la dosis a dos veces al día. ***Se necesitan 2 frascos para comenzar.

PYCNOGENOL: Antioxidante. 1 cápsula dos veces al día. 1 frasco necesario durante 1 mes.

Edades 4 a 9 utilizar media dosis. 1 cápsula al día. ***1 frasco dura 2 meses.

FORMULA 303: Añadir si es HYPERACTIVO(A).

4-6 años comienzan con la mitad de 1 tableta cada 3 a 4 horas y antes de acostarse. Entonces según sea necesario.

6-9 años comienzan con 1 tableta cada 3-4 horas y antes de acostarse. Entonces según sea necesario.

10-16 años, comience con una dosis de 1 tableta cada 3-4 horas aumentando a 2 tableta cada 4 horas o según sea necesario. De causar somnolencia bajar dosis a 1 tableta o separar las horas entre uso. ***Se necesita 1 frasco para comenzar.

17 años en adelante pueden substituir la Formula 303 por **RELAX-S** y tomar según se indica en el pote.

BRAIN PLUS: Apoya la capacidad del cuerpo para pensar con claridad, rapidez y estar alerta.

12-17 años: 2 cápsulas en la mañana, una vez al día, durante 2-3 semanas reduciendo la dosis a 1 cápsula diaria por la mañana, de lunes a viernes y si estudia sábado y domingo. Tomar siempre por la mañana. Luego, 1 a 2 cápsulas, 3 veces en la semana o según sea necesario. 1 frasco dura 1 mes.

Adulto, 18 años+, tomar primer pote según indicado- 2 cápsulas en la mañana, una vez al día. Luego 1 a 2 cápsulas diarias según sea necesario.

Health Magnetic Store & More www.healthmagneticstore.com 1.800.761.5767 or 1.787.782.5767

1053 Jesús T. Piñero Ave. San Juan PR 00920

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to prevent, treat, cure, mitigate, or diagnose any disease.